

Welch Allyn Stethoscopes

Hear the Difference from the Leaders in Diagnostic Care







The Welch Allyn Elite Electronic sensor-based stethoscope gives you precise sound pickup—minimizing vibration, resonance and sound loss. Easily detect low diastolic murmurs and high-pitched pulmonary sounds you might not hear with other stethoscopes.



For almost 100 years, we have been focused on providing exceptional performance, quality, and value from every Welch Allyn device. Our complete lineup of stethoscopes is no exception. Three key elements differentiate Welch Allyn stethoscopes from the competition: better performance, higher quality, and more value.

- > Performance: Welch Allyn Harvey™ and Elite® cardiology stethoscopes were designed by Dr. Proctor Harvey, the first and only "master" of cardiology bestowed by the American College of Cardiology. Dr. Harvey designed these stethoscopes to accentuate the more important high-frequency ejection sounds, systolic clicks, and murmurs.

 Harvey and Elite stethoscopes also conform to American Heart Association (AHA) guidelines that indicate a stethoscope should include a diaphragm (for high-frequency sounds) and bell (for low-frequency sounds).
- > Quality: Welch Allyn cardiology stethoscopes are rugged, and are backed with warranties that typically exceed competitive models by two or more years.
- > Value: Welch Allyn Harvey and Elite stethoscopes are convertible, and include both adult and pediatric diaphragms. It's like getting two stethoscopes for the price of one.

Welch Allyn—A Full Line of Stethoscopes to Meet Your Unique Needs:

Туре	Product Name	Professor	Student	Cardiologist	General Practitioner	Nurse	Auscultation	General Exam	Blood Pressure
Electronic	Elite Electronic Stethoscope	•	•	•	•		•	•	
Cardiology	Harvey DLX Triple-Head Stethoscope	•	•	•			•		
	Harvey DLX Double-Head Stethoscope	•	•	•	•		•		
	Harvey Elite Stethoscope	•	•	•	•	•	•	•	
General	Professional Stethoscope				•	•		•	•
Diagnosis	Planoscop 40					•		•	•
	Duophon 40					•		•	•
Disposable	Disposable Uniscope					•		•	•

Proprietary speaker system enables Accessories optimum sound transmission Two-vear warrant Adjustable binaurals and eartips ensure all-day comfort 5079-430 Analyzer 5079-401 Distributor-Software-Record, playback, Share what you hear with analyze, store, and share files up to five people at the right from your PC. 5079-405 Elite Electronic Stethoscope Binaural spring tension On/off button with timer function is adjustable for personal to conserve battery life comfort Dual-position filter switch allows you to switch between bell and diaphraam modes latex free 5079-405 Elite Electronic Stethoscope External cable port for co-listening and connecting to a PC Directional recessed pressure sensor allows for superior Long-life lithium ion battery lasts sound reproduction up to 140 hours

What are the advantages of SensorTech Technology?

SensorTech Technology has truly perfected the art of registering, transmitting, and amplifying sound waves. The sensor picks up body sounds without sending a signal or energy into the patient's body. And the stethoscope's predefined frequency filters may help you hear the types of sounds that can enhance your ability to diagnose.



Conventional

Amplified

Elite Electronic Sensor

Transducer placement

Welch Allyn Elite Electronic sensor is placed at the patient interface for more focused sound pickup, eliminating unwanted vibration, resonance, and sound loss.

Harvey[™] DLX Stethoscope Harvey DLX cardiology stethoscopes were developed by the preeminent Dr. Proctor Harvey to deliver the critically important high-frequency heart and interchangeable sounds like clicks, murmurs, and ejection sounds. Includes interchangeable comfort sealing ear tips pediatric and adult diaphragms and a 10-year warranty. Harvey DLX stethoscopes are designed to accentuate sounds with unparalleled accuracy and crispness. Harvey™ DLX Double-Head Stethoscopes— 71 cm (28 inches) 5079-325 Black Triple-leaf binaural spring encased in Bell (low- and medium-**5079-326** Burgundy polyurethane allows size adjustment frequency heart sounds while preventing breakage Chrome-plated and murmurs) 5079-327 Navy brass chestpieces 5079-328 Forest Green and binaurals Pediatric chestpieces available 5079-325P Pediatric, Black Harvey™ DLX Triple-Head Stethoscopes— 71 cm (28 inches) latex free **5079-321** Black New longer 71 cm (28 inches) length **5079-322** Burgundy 5079-323 Navy 5079-327 Harvey DLX Double-Head Stethoscope, 5079-324 Forest Green Flat Diaphragm— Corrugated Diaphragm— Triple Head Models-

Harvey[™] Elite[®] Stethoscope

The Harvey Elite offers updated styling with the superior comfort and auscultation capabilities cardiologists have come to rely on. Its stainless steel head transmits sounds crisply and clearly. The Harvey Elite comes with a 10-year warranty and a pediatric chestpiece. Harvey™ Elite® Stethoscopes **5079-122** Black, 56 cm (22 inches) **5079-125** Black, 71 cm (28 inches) **5079-270** Burgundy 5079-271 Navy 5079-284 Forest Green **5079-125P** Pediatric, Black, 71 cm (28 inches) Rotatable binaurals and interchangeable comfort sealing ear tips Triple-leaf binaural spring encased in polyurethane allows size adjustment while preventing breakage Double-head (bell and flat diaphragm) stainless steel chestpiece with nonchill rim New longer 71 cm (28 inches) length latex *f*ree 5079-270 Harvey Elite Stethoscope, Burgundy

What is the advantage of a two-tube stethoscope? Two-tube stethoscopes, such as the Harvey DLX and Elite, provide an individual sound channel

to each ear. This allows you to hear the subtle characteristics of heart sounds and murmurs more distinctly. The heavier tubing also filters out the distracting noise typical of a busy environment.

Welch Allyn Harvey stethoscopes have both a bell and diaphragm to easily isolate high-(diaphragm) and low-frequency (bell) sounds. Some stethoscopes have only a diaphragm. Harvey stethoscopes have adjustable binaurals for a customized, comfortable fit.

Unique, tightly-constrained diaphragm Get complete flexibility and efficiency The corrugated diaphragm is is optimized for higher-frequency. by placing a bell, flat diaphragm, and especially good for detecting critically important heart sounds like lower-frequency sounds, rumbles,

corrugated diaphragm at your fingertips murmurs, clicks, and ejection sounds.

General Diagnosis Stethoscopes



Planoscop

Planoscop features a 40-mm, ultra-slim diaphragm that is ideal for listening to Korotkoff sounds.

- Single-head design
- Latex free
- Ultra-slim diaphragm
- 2-year warranty
- Adjustable binaurals

Adult Planoscop Stethoscopes—78 cm (31 inches)

83-11-080 Black 83-11-060 Yellow 83-11-040 Red 83-11-020 Blue

83-11-030 Green

Duophon The Duophon lightweight double-head design features a 40 mm diaphragm and bell for excellent acoustics.

Excellent acoustics

 Double-head design Adjustable binaurals Chrome plated

Latex free

latex free

2-year warranty

Adult Duophon Stethoscopes—78 cm (31 inches)

82-11-080 Black 82-11-060 Yellow

82-11-040 Red

82-11-020 Blue

82-11-030 Green

Professional Adult and Pediatric Stethoscopes

General Diagnosis Stethoscopes

Excellent for general auscultation and blood pressure

Excellent acoustic clarity and durability

Double-head design

and vascular sounds.

- Adult and Pediatric versions available
- Stainless steel chestpiece and binaurals
- Rotatable binaurals and interchangeable comfort sealing eartips
- Latex free
- 5-year warranty

Professional Adult Stethoscopes—71 cm (28 inches)

5079-135 Black

5079-137 Navy

5079-289 Blue

5079-139 Burgundy

5079-285 Forest Green


Professional Pediatric Stethoscopes—71 cm (28 inches)

5079-145 Black


5079-149 Burgundy

5079-147 Navy

5079-287 Forest Green



Disposable Stethoscopes



Welch Allyn Stethoscope Specifications

	ELECTRONIC	CARDIOLOGY		GENERAL DIAGNOSIS	DISPOSABLE			
PRODUCT DESCRIPTION	ELITE ELECTRONIC STETHOSCOPE	HARVEY DLX	HARVEY ELITE	PROFESSIONAL ADULT	PROFESSIONAL PEDIATRIC	PLANOSCOP	DUOPHON	UNISCOPE
PRODUCT NUMBERS	5079-405 Stethoscope 5079-430 Analyzer 5079-401 Distributor	Double Head 5079-325 Black 5079-326 Burgundy 5079-327 Navy 5079-328 Forest Green 5079-325 Pediatric, Black Triple Head 5079-321 Black 5079-322 Burgundy 5079-323 Navy 5079-324 Forest Green	5079-122 Black (22") 5079-125 Black 5079-270 Burgundy 5079-271 Navy 5079-284 Forest Green 5079-125P Pediatric, Black	5079-135 Black 5079-137 Navy 5079-289 Blue 5079-139 Burgundy 5079-285 Forest Green	5079-145 Black 5079-147 Navy 5079-149 Burgundy 5079-287 Forest Green	83-11-080 Black 83-11-060 Yellow 83-11-040 Red 83-11-020 Blue 83-11-030 Green	82-11-080 Black 82-11-060 Yellow 82-11-040 Red 82-11-020 Blue 82-11-030 Green	17461 Adult, Yellow 17462P Pediatric, Light Blue
PRODUCT TYPE	Electronic Stethoscope	Double Head/ Triple Head	Double Head	Double Head	Double Head	Single Head	Double Head	Single Head
HEAD DIAMETER	38.5 mm (1.5 inches)	48.3 mm (1.9 inches)	48.3 mm (1.9 inches)	45 mm (1.75 inches)	30 mm (1.2 inches)	40 mm (1.6 inches)	40 mm (1.6 inches)	49 mm (1.9 inches)
OVERALL LENGTH	825.5 mm (32.5 inches)	711 mm (28 inches)	711 mm (28 inches)	711 mm (28 inches)	711 mm (28 inches)	780 mm (30.7 inches)	780 mm (30.7 inches)	770 mm (30.3 inches)
TUBING LENGTH	546.1 mm (21.5 inches)	431.8 mm (17 inches)	431.8 mm (17 inches)	546.1 mm (21.5 inches)	546.1 mm (21.5 inches)	600 mm (23.6 inches)	600 mm (23.6 inches)	600 mm (23.6 inches)
LATEX FREE (Y/N)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CHESTPIECE MATERIAL	Plastic	Brass	Stainless Steel	Stainless Steel	Stainless Steel	Brass Chromium Plated	Brass Chromium Plated	ABS
DIAPHRAGM MATERIAL	Plastic	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	PVC	PVC	Polypropylene
DIAPHRAGM STYLE	Flat	Flat/Corrugated	Flat/Corrugated	Flat	Flat	Flat	Flat	Flat
ADJUSTABLE BINAURAL (Y/N)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
EARTIPS (SOFT/HARD)	Soft	Soft/Hard	Soft/Hard	Soft/Hard	Soft/Hard	Hard	Hard	Hard
WASHABLE EARTIPS	Alcohol or Chlorhexidine Swabs	Alcohol or mild soapy water	Alcohol or mild soapy water	Alcohol or mild soapy water	Alcohol or mild soapy water	Alcohol or mild soapy water	Alcohol or mild soapy water	_
TYPE OF TUBING (SINGLE/DUAL LUMEN)	Single Lumen	Dual Lumen	Dual Lumen	Single Lumen	Single Lumen	Single Lumen	Single Lumen	Single Lumen
ANTI-CHILL RING	Not required	No	Yes	Yes	Yes	No	Yes	Not required
BELL DIAMETER	_	28 mm (1.1 inches)	36 mm (1.41 inches)	36 mm (1.41 inches)	26 mm (1.02 inches)	32 mm (1.25 inches)	_	_
SHIPS ASSEMBLED	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
PACKAGING	Printed Box	Printed Box	Printed Box	Printed Box	Printed Box	Printed Box	Printed Box	Plastic Bag
WARRANTY	2 Years	10 Years	10 Years	5 Years	5 Years	2 Years	2 Years	_

For more information, please contact your local Welch Allyn representative.

Welch Allyn Corporate Headquarters

4341 State Street Road P.O. Box 220 Skaneateles Falls, NY 13153-0220 U.S.A.

Telephone: +1 315 685 4602 or +1 800 535 6663

Welch Allyn European Customer Service

Navan Business Park, Dublin Road Navan, County Meath Ireland Europe Telephone: +353 46 906 7790 Europe Fax: +353 46 906 7754 UK Telephone: +44 207 365 6780 UK Fax: +44 207 365 9694 Welch Allyn UK Limited

Cublington Road Aston Abbotts Buckinghamshire HP22 4ND England Telephone: +44 207 365 6780 Fax: +44 207 365 9694

